

56



Notice of Allowability

Application No.	Applicant(s)	
10/707,573	ROUSSEAU, GERARD H.	
Examiner	Art Unit	
Lan Nguyen	3683	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12/27/04.
2. ☒ The allowed claim(s) is/are 1,2,4,5,8,11-15,18 and 22.
3. ☒ The drawings filed on 15 July 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Stephen Catlin on 2/2/05.

The application has been amended as follows:

- Claims 3, 10, 20, 25 and 26 have been cancelled.
- In claim 1, line 4, "at least one leaf spring" has been replaced with -- at least one electrically conductive leaf spring --.
- In claim 1, line 9, "supporting the metering blade." has been replaced with -- supporting the metering blade; wherein the at least one electrically conductive leaf spring comprises a grounding path for bleeding static charge from the metering blade assembly; and said system further comprising a static shield provided separate from the metering blade, the static shield including a tab portion in contact with the at least one electrically conductive leaf spring that forms part of the grounding path for bleeding static charge. --
- In claim 4, line 1, "3" has been replaced with --1--.
- In claim 12, line 1, "10" has been replaced with --1--.
- In claim 13, line 2, "10" has been replaced with --1--.

Art Unit: 3683

- In claim 14, line 6, "of the mounting bracket and the metering blade of the metering blade assembly." has been replaced with -- of the mounting bracket and the metering blade of the metering blade assembly; wherein the at least one leaf spring comprises a grounding path for bleeding static charge from the metering blade assembly; and said method further comprising connecting a static shield separate from the metering blade in contact with the at least one leaf spring to form part of the grounding path.--

2. The following is an examiner's statement of reasons for allowance: It is found that the claimed feature of a static shield separate from the metering blade; wherein said static shield is in contact with the electrically conductive leaf spring in order to form a grounding path for bleeding static charge defines over the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lan Nguyen whose telephone number is 703-308-8347. The examiner can normally be reached on M-F, 8 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Marmor can be reached on 703-308-0830. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3683

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lan Nguyen
Patent Examiner
Art Unit 3683

A handwritten signature in black ink, appearing to read 'Lan Nguyen', with a stylized flourish at the end.

2/3/05